

View Online at <https://aerobasegroup.com/nsn/5962-01-274-5248>

Body Length:

Between 0.442 inches and 0.458 inches

Body Width:

Between 0.442 inches and 0.458 inches

Body Height:

Between 0.064 inches and 0.100 inches

Operating Temperature Range:

-55.0/+125.0 degrees celsius

Storage Temperature Range:

-65.0/+150.0 degrees celsius

Features Provided:

W/enable and electrostatic sensitive and monolithic

Inclosure Material:

Ceramic or metal

Inclosure Configuration:

Leadless flat pack

Input Circuit Pattern:

16 channel

Criticality Code Justification:

Feat

Design Function And Quantity:

1 multiplexer/demultiplexer, analog

Terminal Surface Treatment:

Solder

Voltage Rating And Type Per Characteristic:

44.0 volts power source

Time Rating Per Characteristic:

1000.00 nanoseconds propagation delay time, low to high level output and 1000.00 nanoseconds propagation delay time, high to low level output

Special Features:

Nuclear hardness critical process

Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

Terminal Type And Quantity:

28 leadless

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0