## NSN 5962-01-284-0282

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-284-0282

## Overall Height:

0.400 inches

#### **Body Length:**

0.840 inches

## Body Width:

Between 0.220 inches and 0.310 inches

#### **Body Height:**

Between 0.140 inches and 0.185 inches

#### **Maximum Power Dissipation Rating:**

253.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### Features Provided:

Bidirectional and monolithic and w/clear and w/reset and schottky

#### Inclosure Material:

Ceramic

### Inclosure Configuration:

Dual-in-line

#### Output Logic Form:

Transistor-transistor logic

#### Input Circuit Pattern:

9 input

#### **Design Function And Quantity:**

1 shift register, universal

#### Case Outline Source And Designator:

D-2 mil-m-38510

#### **Terminal Surface Treatment:**

Solder

## Voltage Rating And Type Per Characteristic:

-0.5 volts power source and 7.0 volts power source

#### **Test Data Document:**

81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## Terminal Type And Quantity:

16 printed circuit

#### **Specification Data:**

81349-mil-m-38150/336 government specification

#### Shelf Life:

N/a

Unit Of Measure:

# NSN 5962-01-284-0282

Digital Microcircuit - Page 2 of 2

## Demilitarization:

Yes - demil/mli

Fiig:

A458a0

