## NSN 5962-01-292-3034

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-292-3034

Overall Height:
Between 0.295 inches and 0.360 inches
Body Length:
Between 0.390 inches and 0.430 inches
Body Width:
Between 0.245 inches and 0.275 inches
Body Height:
Between 0.130 inches and 0.180 inches
Maximum Power Dissipation Rating:
800.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-55.0/+150.0 degrees celsius
Features Provided:
Hermetically sealed and monolithic and w/resistor
Inclosure Material:
Ceramic or glass
Inclosure Configuration:
Dual-in-line Dual-in-line
Input Circuit Pattern:
4 input
Design Function And Quantity:
1 protector, overvoltage
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
40.0 volts power source
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.)
Terminal Type And Quantity:
8 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A458a0