NSN 5962-01-293-1173

Digital Microcircuit - Page 1 of 2

Overall Length: 0.840 inches



View Online at https://aerobasegroup.com/nsn/5962-01-293-1173

| Overall Height: |
|--|
| 0.400 inches |
| Overall Width: |
| 0.320 inches |
| Body Length: |
| 0.840 inches |
| Body Width: |
| 0.310 inches |
| Body Height: |
| 0.140 inches |
| Maximum Power Dissipation Rating: |
| 300.0 milliwatts |
| Operating Tempurature Range: |
| -55.0/+125.0 degrees celsius |
| Storage Tempurature Range: |
| -65.0/+150.0 degrees celsius |
| Features Provided: |
| High speed and monolithic |
| Inclosure Material: |
| Ceramic |
| Inclosure Configuration: |
| Dual-in-line |
| Output Logic Form: |
| Complementary-metal oxide-semiconductor logic |
| Input Circuit Pattern: |
| 7 input |
| Design Function And Quantity: |
| 1 decoder, three to eight line |
| Case Outline Source And Designator: |
| D-2 mil-m-38510 |
| Current Rating Per Characteristic: |
| 50.00 milliamperes forward current, nonrepetitive, peak total value |
| Terminal Surface Treatment: |
| Solder |
| Voltage Rating And Type Per Characteristic: |
| 7.0 volts power source |
| Test Data Document: |
| 81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |

format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

16 printed circuit

Terminal Type And Quantity:

NSN 5962-01-293-1173

Digital Microcircuit - Page 2 of 2



| Specification [|)ata: |
|-----------------|-------|
|-----------------|-------|

81349-mil-m-38510/658 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0