# NSN 5962-01-294-5819

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-294-5819

## **Body Length:**

Between 0.935 inches and 0.990 inches

## Body Width:

Between 0.280 inches and 0.310 inches

## **Body Height:**

Between 0.070 inches and 0.185 inches

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Hermetically sealed and burn in and programmable and high speed and bidirectional

#### Inclosure Material:

Ceramic

#### Inclosure Configuration:

Dual-in-line

#### Output Logic Form:

Complementary-metal oxide-semiconductor logic

#### Input Circuit Pattern:

16 input

#### **Design Function And Quantity:**

1 gate, array

## **Terminal Surface Treatment:**

Solder

#### Voltage Rating And Type Per Characteristic:

7.0 volts power source

#### **Time Rating Per Chacteristic:**

30.00 nanoseconds propagation delay time, low to high level output and 30.00 nanoseconds propagation delay time, high to low level output

#### **Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

#### Terminal Type And Quantity:

20 printed circuit

#### Shelf Life:

N/a

## Unit Of Measure:

---

#### Demilitarization:

Yes - demil/mli

#### Fiig:

A458a0