## NSN 5962-01-300-9146

Memory Microcircuit - Page 1 of 2



view Online at https://aerobasegroup.com/nsn/5962-01-300-9146
Body Length:
Between 1.230 inches and 1.240 inches
Body Width:
Between 0.510 inches and 0.550 inches
Body Height:
Between 0.100 inches and 0.210 inches
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
5840-01-141-4378 radar set
Features Provided:
Hermetically sealed and burn in and bipolar and programmable and electrostatic sensitive
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Transistor-transistor logic
Input Circuit Pattern:
14 input
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-0.5 volts power source and 7.0 volts power source
Time Rating Per Chacteristic:
50.00 nanoseconds propagation delay time, low to high level output and 50.00 nanoseconds propagation delay time, high to low leve
output
Memory Device Type:
Rom
Memory Capacity:
Unknown
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
24 printed circuit
Shelf Life:
N/a
Unit Of Measure

Demilitarization:

Yes - demil/mli

## NSN 5962-01-300-9146

Memory Microcircuit - Page 2 of 2



Fiig:

A458a0