## NSN 5962-01-302-6168



Linear Microcircuit - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5962-01-302-6168 **Body Length:** Between 1.780 inches and 1.820 inches **Body Width:** Between 1.350 inches and 1.390 inches **Body Height:** 0.375 inches **Maximum Power Dissipation Rating:** 56.0 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Hybrid and hermetically sealed and burn in and positive outputs and electrostatic sensitive **Inclosure Material:** Metal **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 4 input **Design Function And Quantity:** 1 regulator, voltage **Terminal Surface Treatment:** Solder Voltage Rating And Type Per Characteristic: 24.0 volts power source **Special Features:** Warning: this device contains beryllium oxide; dust is hazardous if inhaled or deposited in cuts in skin; do not machine, abrade, file, cut, etcetera without approved safetyequipment and procedures **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 10 printed circuit Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

Yes - demil/mli

Fiig:

A458a0