Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-305-5370

| view Online at https://aerobasegroup.com/nsn/5962-01-305-5370 |
|---|
| Body Length: |
| 1.679 inches |
| Body Width: |
| 0.590 inches |
| Body Height: |
| 0.070 inches |
| Maximum Power Dissipation Rating: |
| 1.5 milliwatts |
| Operating Tempurature Range: |
| -55.0/+125.0 degrees celsius |
| Storage Tempurature Range: |
| -65.0/+150.0 degrees celsius |
| Features Provided: |
| Monolithic and electrostatic sensitive |
| Inclosure Material: |
| Ceramic |
| Inclosure Configuration: |
| Dual-in-line |
| Output Logic Form: |
| Complementary-metal oxide-semiconductor logic |
| Input Circuit Pattern: |
| 33 input |
| Design Function And Quantity: |
| 1 processor, input/output |
| Terminal Surface Treatment: |
| Solder |
| Voltage Rating And Type Per Characteristic: |
| 7.0 volts power source |
| Terminal Type And Quantity: |
| 64 printed circuit |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| - |
| Demilitarization: |
| Yes - demil/mli |
| Fiig: |
| A458a0 |
| |