NSN 5962-01-305-7726

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-305-7726 **Overall Length:** 0.410 inches **Overall Height:** 0.100 inches **Overall Width:** 0.410 inches **Body Length:** 0.410 inches **Body Width:** 0.410 inches **Body Height:** 0.088 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Storage Tempurature Range:** -65.0/+150.0 degrees celsius **Features Provided:** Burn in, mil-std-883, class b and electrostatic sensitive and hermetically sealed and hybrid **Inclosure Material:** Ceramic or glass or metal **Inclosure Configuration:** Leadless flat pack **Input Circuit Pattern:** 11 input **Design Function And Quantity:** 1 amplifier, general purpose **Case Outline Source And Designator:** C-2 mil-m-38510 **Terminal Surface Treatment:** Solder **Voltage Rating And Type Per Characteristic:** 18.0 volts power source **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 20 leadless Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5962-01-305-7726

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0