Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-307-7335

view Online at http	s://aerobasegroup.com/nsn/5962-01-307-7335
Body Length:	
0.785 inches	
Body Width:	
0.310 inches	
Body Height:	
0.185 inches	
Maximum Power	Dissipation Rating:
300.0 milliwatts	
Operating Tempu	rature Range:
-55.0/+125.0 degre	es celsius
Storage Tempura	ture Range:
-65.0/+150.0 degre	es celsius
Features Provide	d:
High speed and po	sitive outputs and monolithic
Inclosure Materia	
Ceramic	
Inclosure Configu	iration:
Dual-in-line	
Output Logic For	m:
Complementary-m	etal oxide-semiconductor logic
Input Circuit Patte	ern:
Quad 2 input	
Design Function	And Quantity:
4 gate, nor	
Case Outline Sou	rce And Designator:
D-1 mil-m-38510	
Terminal Surface	Treatment:
Solder	
Voltage Rating Ar	nd Type Per Characteristic:
7.0 volts power so	urce
Test Data Docum	ent:
81349-mil-m-3851	0 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes c	commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and	performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type An	d Quantity:
14 printed circuit	
Specification Data	a:
81349-mil-m-3851(0/651 government specification
Shelf Life:	
N/a	
Unit Of Measure:	
 Domilitorization	
Demilitarization:	
Yes - demil/mli	

NSN 5962-01-307-7335

Digital Microcircuit - Page 2 of 2

Fiig: A458a0

