# NSN 5962-01-312-0001

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-312-0001

#### **Overall Height:**

Between 0.325 inches and 0.400 inches

### **Body Length:**

1.280 inches

# Body Width:

Between 0.220 inches and 0.310 inches

#### **Body Height:**

Between 0.140 inches and 0.185 inches

#### **Maximum Power Dissipation Rating:**

484.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Bipolar and low power and schottky and 3-state output and monolithic

#### Inclosure Material:

Ceramic

#### Inclosure Configuration:

Dual-in-line

### Output Logic Form:

Transistor-transistor logic

#### Input Circuit Pattern:

22 input

#### **Design Function And Quantity:**

8 register and 8 transceiver

#### **Case Outline Source And Designator:**

D-9 mil-m-38510

#### **Terminal Surface Treatment:**

Solder

# Voltage Rating And Type Per Characteristic:

7.0 volts power source

# Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

## Terminal Type And Quantity:

24 printed circuit

# Shelf Life:

N/a

# Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

# NSN 5962-01-312-0001

Digital Microcircuit - Page 2 of 2

**Fiig:** A458a0

