NSN 5962-01-312-2588

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-312-2588

Overall Length:
1.775 inches
Overall Height:
Between 0.800 inches and 0.840 inches
Body Length:
Between 1.040 inches and 1.060 inches
Body Width:
0.595 inches
Body Height:
Between 0.350 inches and 0.405 inches
Maximum Power Dissipation Rating:
900.0 milliwatts
Operating Tempurature Range:
-20.0/+90.0 degrees celsius
Storage Tempurature Range:
-40.0/+100.0 degrees celsius
End Application:
Transmitting set, radio an/frt-96
Features Provided:
Hybrid and low noise and high gain and thin film and electrostatic sensitive and hermetically sealed and burn in
Inclosure Material:
Ceramic
Inclosure Configuration:
Single-in-line
Input Circuit Pattern:
1 input
Design Function And Quantity:
1 amplifier, radio frequency
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
28.0 volts power source
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
7 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Manadamillari

Yes - demil/mli

NSN 5962-01-312-2588

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0