## NSN 5962-01-314-2037

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-314-2037

Overall Height:
Between 0.280 inches and 0.350 inches
Body Length:
Between 0.375 inches and 0.395 inches
Body Width:
Between 0.245 inches and 0.265 inches
Body Height:
Between 0.140 inches and 0.185 inches
Maximum Power Dissipation Rating:
1.87 watts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Hermetically sealed and monolithic and wideband and high slew rate
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Input Circuit Pattern:
1 input
Design Function And Quantity:
1 amplifier, buffer
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
44.0 volts power source
Time Rating Per Chacteristic:
12.00 nanoseconds propagation delay time, low to high level output and 12.00 nanoseconds propagation delay time, high to low level
output
Terminal Type And Quantity:
8 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Yes - demil/mli

Fiig:

A458a0