## NSN 5962-01-316-5963

Digital Microcircuit - Page 1 of 2

**Overall Length:** 



View Online at https://aerobasegroup.com/nsn/5962-01-316-5963

0.460 inches				
Overall Height:				
0.100 inches				
Overall Width:				
0.460 inches				
Body Length:				
0.460 inches				
Body Width:				
0.460 inches				
Body Height:				
0.088 inches				
Maximum Power Dissipation Rating:				
1.2 watts				
Operating Tempurature Range:				
-55.0/+125.0 degrees celsius				
Storage Tempurature Range:				
-65.0/+150.0 degrees celsius				
Features Provided:				
Bipolar and burn in and monolithic and programmable and w/register output				
Inclosure Material:				
Ceramic				
Inclosure Configuration:				
Leadless flat pack				
Output Logic Form:				
Transistor-transistor logic				
Input Circuit Pattern:				
20 input				
Design Function And Quantity:				
1 gate, array				
Case Outline Source And Designator:				
C-4 mil-m-38510				
Current Rating Per Characteristic:				
210.00 milliamperes reverse current, dc absolute				
Terminal Surface Treatment:				

Solder

#### **Voltage Rating And Type Per Characteristic:**

12.0 volts total supply

#### **Test Data Document:**

81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

### **Terminal Type And Quantity:**

28 leadless

# NSN 5962-01-316-5963

Digital Microcircuit - Page 2 of 2



Spec	ifica	ation	Data:
------	-------	-------	-------

81349-mil-m-38510/505 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A458a0