NSN 5962-01-316-6887



Linear Microcircuit - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5962-01-316-6887 **Overall Height:** Between 0.325 inches and 0.400 inches **Body Length:** 0.590 inches **Body Width:** Between 0.220 inches and 0.310 inches **Body Height:** Between 0.140 inches and 0.185 inches **Maximum Power Dissipation Rating:** 1.0 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Burn in and monolithic and low impedance **Inclosure Material:** Ceramic **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 3 input **Criticality Code Justification:** Feat **Design Function And Quantity:** 1 modulator **Terminal Surface Treatment:** Solder Voltage Rating And Type Per Characteristic: 30.0 volts total supply **Special Features:** Item must comply with requirements of defense electronics supply center production standard no. L04205; for navy propulsion plant products only **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 8 printed circuit Shelf Life: N/a

Demilitarization: Yes - demil/mli

Unit Of Measure:

NSN 5962-01-316-6887

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0