## NSN 5962-01-316-8125

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-316-8125 **Overall Length:** 0.900 inches **Overall Height:** 0.255 inches **Overall Width:** 0.310 inches **Body Length:** 0.900 inches **Body Width:** 0.300 inches **Body Height:** 0.085 inches **Maximum Power Dissipation Rating:** 365.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Storage Tempurature Range:** -65.0/+150.0 degrees celsius **End Application:** An/msr-t4 training set countermeasures signals **Features Provided:** Burn in and compatible cmos and high speed and low power and 3-state output **Inclosure Material:** Ceramic **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 7 input **Design Function And Quantity:** 1 converter **Terminal Surface Treatment: Voltage Rating And Type Per Characteristic:** 7.0 volts power source **Terminal Type And Quantity:** 18 printed circuit Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

Yes - demil/mli

## NSN 5962-01-316-8125

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0