# NSN 5962-01-316-8125

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-316-8125

**Overall Length:** 

0.900 inches

**Overall Height:** 

0.255 inches

## **Overall Width:**

0.310 inches

**Body Length:** 

0.900 inches

#### **Body Width:**

0.300 inches

**Body Height:** 

0.085 inches

**Maximum Power Dissipation Rating:** 

365.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

## Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **End Application:**

An/msr-t4 training set countermeasures signals

## Features Provided:

Burn in and compatible cmos and high speed and low power and 3-state output

#### Inclosure Material:

Ceramic

#### **Inclosure Configuration:**

Dual-in-line

#### **Input Circuit Pattern:**

7 input

#### **Design Function And Quantity:**

1 converter

#### **Terminal Surface Treatment:**

Solder

#### Voltage Rating And Type Per Characteristic:

7.0 volts power source

### **Terminal Type And Quantity:**

18 printed circuit

## Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

# NSN 5962-01-316-8125

Linear Microcircuit - Page 2 of 2

**Fiig:** A458a0

