## NSN 5962-01-317-2033

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-317-2033

Overall Length:
1.182 inches
Body Length:
Between 0.595 inches and 0.620 inches
Body Width:
Between 0.380 inches and 0.405 inches
Body Height:
Between 0.160 inches and 0.190 inches
Operating Tempurature Range:
+0.0/+150.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
Test system, com 3901mr-a.
Features Provided:
Medium current and fixed and w/resistor and positive outputs
Inclosure Material:
Plastic
Inclosure Configuration:
Single-in-line
Input Circuit Pattern:
Input Circuit Pattern: 1 input
1 input
1 input  Design Function And Quantity:
1 input  Design Function And Quantity:  1 regulator, voltage
1 input  Design Function And Quantity:  1 regulator, voltage  Case Outline Source And Designator:
1 input  Design Function And Quantity:  1 regulator, voltage  Case Outline Source And Designator:  To-220 joint electron device engineering council
1 input  Design Function And Quantity:  1 regulator, voltage  Case Outline Source And Designator:  To-220 joint electron device engineering council  Terminal Surface Treatment:
1 input  Design Function And Quantity:  1 regulator, voltage  Case Outline Source And Designator:  To-220 joint electron device engineering council  Terminal Surface Treatment:  Solder
1 input  Design Function And Quantity:  1 regulator, voltage  Case Outline Source And Designator:  To-220 joint electron device engineering council  Terminal Surface Treatment:  Solder  Voltage Rating And Type Per Characteristic:
1 input  Design Function And Quantity:  1 regulator, voltage  Case Outline Source And Designator:  To-220 joint electron device engineering council  Terminal Surface Treatment:  Solder  Voltage Rating And Type Per Characteristic:  35.0 volts power source
1 input  Design Function And Quantity:  1 regulator, voltage  Case Outline Source And Designator:  To-220 joint electron device engineering council  Terminal Surface Treatment:  Solder  Voltage Rating And Type Per Characteristic:  35.0 volts power source  Terminal Type And Quantity:
1 input  Design Function And Quantity:  1 regulator, voltage  Case Outline Source And Designator:  To-220 joint electron device engineering council  Terminal Surface Treatment:  Solder  Voltage Rating And Type Per Characteristic:  35.0 volts power source  Terminal Type And Quantity:  4 pin
1 input  Design Function And Quantity:  1 regulator, voltage  Case Outline Source And Designator:  To-220 joint electron device engineering council  Terminal Surface Treatment:  Solder  Voltage Rating And Type Per Characteristic:  35.0 volts power source  Terminal Type And Quantity:  4 pin  Shelf Life:
1 input  Design Function And Quantity:  1 regulator, voltage  Case Outline Source And Designator:  To-220 joint electron device engineering council  Terminal Surface Treatment:  Solder  Voltage Rating And Type Per Characteristic:  35.0 volts power source  Terminal Type And Quantity:  4 pin  Shelf Life:  N/a
1 input  Design Function And Quantity:  1 regulator, voltage  Case Outline Source And Designator:  To-220 joint electron device engineering council  Terminal Surface Treatment:  Solder  Voltage Rating And Type Per Characteristic:  35.0 volts power source  Terminal Type And Quantity:  4 pin  Shelf Life:  N/a
1 input  Design Function And Quantity:  1 regulator, voltage  Case Outline Source And Designator:  To-220 joint electron device engineering council  Terminal Surface Treatment:  Solder  Voltage Rating And Type Per Characteristic:  35.0 volts power source  Terminal Type And Quantity:  4 pin  Shelf Life:  N/a  Unit Of Measure:
1 input  Design Function And Quantity:  1 regulator, voltage  Case Outline Source And Designator:  To-220 joint electron device engineering council  Terminal Surface Treatment:  Solder  Voltage Rating And Type Per Characteristic:  35.0 volts power source  Terminal Type And Quantity:  4 pin  Shelf Life:  N/a  Unit Of Measure:   Demilitarization: