Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-317-3172

# Body Length:

0.400 inches

#### **Body Width:**

0.280 inches

## Body Height:

0.180 inches

# **Maximum Power Dissipation Rating:**

1050.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

### **Features Provided:**

Monolithic and hermetically sealed

#### **Inclosure Material:**

Ceramic

## Inclosure Configuration:

Dual-in-line

### Input Circuit Pattern:

Dual 2 input

### **Design Function And Quantity:**

2 amplifier, operational, general purpose

## **Terminal Surface Treatment:**

Solder

### Voltage Rating And Type Per Characteristic:

18.0 volts power source

### **Special Features:**

Nuclear hardness critical items

### **Nuclear Hardness Critical Feature:**

Hardened

### **Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

### Terminal Type And Quantity:

8 printed circuit

#### Shelf Life:

N/a

## Unit Of Measure:

--

### Demilitarization:

Yes - demil/mli

### Fiig:

A458a0