# NSN 5962-01-319-8462

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-319-8462

# **Body Length:**

0.960 inches

# Body Width:

Between 0.220 inches and 0.310 inches

## **Body Height:**

Between 0.140 inches and 0.185 inches

## **Maximum Power Dissipation Rating:**

1.0 watts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Monolithic and burn in and positive outputs

#### **Inclosure Material:**

Ceramic

## Inclosure Configuration:

Dual-in-line

#### **Input Circuit Pattern:**

8 input

## **Design Function And Quantity:**

1 array, darlington transistor and 1 gate

## Case Outline Source And Designator:

D-6 mil-m-38510

# **Terminal Surface Treatment:**

Solder

## Voltage Rating And Type Per Characteristic:

30.0 volts power source

## **Test Data Document:**

81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Terminal Type And Quantity:**

18 printed circuit

#### **Specification Data:**

81349-mil-m-38510/141 government specification

#### Shelf Life:

N/a

#### Unit Of Measure:

--

## Demilitarization:

Yes - demil/mli

# Fiig:

A458a0