## NSN 5962-01-321-8426

Hybrid Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-321-8426

Body Length:
1.085 inches
Body Width:
1.085 inches
Body Height:
0.360 inches
Maximum Power Dissipation Rating:
0.7 watts
Operating Tempurature Range:
-54.0/+85.0 degrees celsius
Storage Tempurature Range:
-62.0/+125.0 degrees celsius
End Application:
FIRE-FI-NDE-RRAD
Features Provided:
Electrostatic sensitive and burn in and tested to mil-std-883
Inclosure Material:
Metal
Inclosure Configuration:
Axial quad array
Output Logic Form:
Transistor-transistor logic
Design Function And Quantity:
1 oscillator
Current Rating Per Characteristic:
35.00 milliamperes reverse current, dc absolute
Terminal Surface Treatment:
Solder
Product Name:
Hybrid, oscillator
Voltage Rating And Type Per Characteristic:
16.5 volts power source
Hybrid Technology Type:
Film and multichip
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
11 pin
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5962-01-321-8426

Hybrid Microcircuit - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A458a0