NSN 5962-01-322-1799

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-322-1799

Overall Height:
Between 0.380 inches and 0.450 inches
Body Length:
Between 0.868 inches and 0.872 inches
Body Width:
Between 0.496 inches and 0.500 inches
Body Height:
Between 0.175 inches and 0.195 inches
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Low drift and low noise and hermetically sealed and electrostatic sensitive and internally compensated and monolithic
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Input Circuit Pattern:
2 input
Criticality Code Justification:
Zzzy
Design Function And Quantity:
1 amplifier, instrumentation
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
18.0 volts power source
Special Features:
Item must comply with requirements of defense supply center columbus production standard no. Lo4277
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
14 printed circuit
Reference Number Differentiating Characteristics:
Breference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing
and testing specifications available at the dla icp.
Shelf Life:
N/a
Unit Of Measure:

Demilitarization: Yes - demil/mli

NSN 5962-01-322-1799

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0