# NSN 5962-01-322-4625

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-322-4625

## Overall Height:

0.400 inches

#### **Body Length:**

0.840 inches

### Body Width:

Between 0.220 inches and 0.310 inches

#### **Body Height:**

Between 0.140 inches and 0.185 inches

#### **Maximum Power Dissipation Rating:**

500.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Low power and hermetically sealed and w/enable and monolithic and high speed

#### Inclosure Material:

Ceramic

### Inclosure Configuration:

Dual-in-line

#### Output Logic Form:

Complementary-metal oxide-semiconductor logic

#### Input Circuit Pattern:

6 input

#### **Criticality Code Justification:**

Zzzy

#### **Design Function And Quantity:**

1 decoder

#### Case Outline Source And Designator:

D-2 mil-m-38510

#### **Terminal Surface Treatment:**

Solder

#### Voltage Rating And Type Per Characteristic:

7.0 volts power source

#### **Special Features:**

Item must comply with requirements of defense supply center columbus production standard no. Lo4294

#### **Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

#### **Terminal Type And Quantity:**

16 printed circuit

#### **Reference Number Differentiating Characteristics:**

Breference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing and testing specifications available at the dla icp.

# NSN 5962-01-322-4625

Digital Microcircuit - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

Yes - demil/mli

Fiig:

A458a0

