# NSN 5962-01-323-4947

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-323-4947

# **Body Length:**

- 1.060 inches
- **Body Width:**

0.310 inches

## Body Height:

0.185 inches

### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

## **Features Provided:**

Monolithic and bipolar and schottky

## **Inclosure Material:**

Ceramic

#### Inclosure Configuration:

Dual-in-line

## **Output Logic Form:**

Transistor-transistor logic

## Input Circuit Pattern:

Octal 1 input

## **Design Function And Quantity:**

8 flip-flop, d-type

## Case Outline Source And Designator:

D-8 mil-m-38510

## **Terminal Surface Treatment:**

Solder

## Voltage Rating And Type Per Characteristic:

-0.5 volts power source and 7.0 volts power source

## Time Rating Per Chacteristic:

39.00 nanoseconds propagation delay time, low to high level output and 39.00 nanoseconds propagation delay time, high to low level output

## Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

## Terminal Type And Quantity:

20 printed circuit

#### Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

#### Fiig:

A458a0