Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-323-5375

Body Length:	
1.250 inches	
Body Width:	
0.310 inches	
Body Height:	
0.185 inches	
Maximum Power Dissip	ation Rating:
1.2 watts	
Operating Tempurature	-
-55.0/+125.0 degrees cels	
Storage Tempurature Ra	
65.0/+150.0 degrees cel	sius
Features Provided:	
Monolithic and bipolar and	J programmed
nclosure Material:	
Ceramic	
nclosure Configuration	
Dual-in-line	
Output Logic Form:	
Transistor-transistor logic	
Input Circuit Pattern:	
20 input	
Design Function And Q	Jantity:
array, logic	
Case Outline Source An	d Designator:
D-9 mil-m-38510	
Terminal Surface Treatm	ient:
Solder	
Voltage Rating And Typ	e Per Characteristic:
5.5 volts power source	
Time Rating Per Chacte	ristic:
20.00 nanoseconds prop	agation delay time, low to high level output and 20.00 nanoseconds propagation delay time, high to low level
output	
Test Data Document:	
96906-mil-std-883 standa	rd (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Qua	ntity:
24 printed circuit	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
Yes - demil/mli	

NSN 5962-01-323-5375

Digital Microcircuit - Page 2 of 2

Fiig: A458a0

