NSN 5962-01-323-6959

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-323-6959 **Body Length:** 0.780 inches **Body Width:** 0.280 inches **Body Height:** 0.180 inches **Maximum Power Dissipation Rating:** 250.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Monolithic **Inclosure Material:** Ceramic **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 4 input **Criticality Code Justification:** Zzzy **Design Function And Quantity:** 1 modulator, regulator pulse width **Terminal Surface Treatment:** Solder Voltage Rating And Type Per Characteristic: 42.0 volts power source **Special Features:** Item must comply with requirements of defense supply center columbus production standard no. Lo4332 **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 16 printed circuit **Reference Number Differentiating Characteristics:** Reference number differentiating material will be in accordance with naval inventory control point activity hx quality control; manufacturing and testing specifications available at the dla icp Shelf Life: N/a

Demilitarization: Yes - demil/mli

Unit Of Measure:

NSN 5962-01-323-6959

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0