NSN 5962-01-324-7644

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-324-7644

| Overall Length: |
|--|
| 1.590 inches |
| Overall Height: |
| 0.200 inches |
| Overall Width: |
| 1.915 inches |
| Body Length: |
| 1.590 inches |
| Body Width: |
| 1.015 inches |
| Body Height: |
| 0.200 inches |
| Operating Tempurature Range: |
| -55.0/+100.0 degrees celsius |
| Storage Tempurature Range: |
| -65.0/+125.0 degrees celsius |
| Features Provided: |
| Burn in and electrostatic sensitive |
| Inclosure Material: |
| Ceramic |
| Inclosure Configuration: |
| Flat pack |
| |
| Input Circuit Pattern: |
| Input Circuit Pattern: 6 input |
| · |
| 6 input |
| 6 input Design Function And Quantity: |
| 6 input Design Function And Quantity: 1 amplifier, linear |
| 6 input Design Function And Quantity: 1 amplifier, linear Terminal Surface Treatment: |
| 6 input Design Function And Quantity: 1 amplifier, linear Terminal Surface Treatment: Solder |
| 6 input Design Function And Quantity: 1 amplifier, linear Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: |
| 6 input Design Function And Quantity: 1 amplifier, linear Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 7.0 volts power source |
| 6 input Design Function And Quantity: 1 amplifier, linear Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 7.0 volts power source Terminal Type And Quantity: |
| Design Function And Quantity: 1 amplifier, linear Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 7.0 volts power source Terminal Type And Quantity: 30 flat leads |
| Design Function And Quantity: 1 amplifier, linear Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 7.0 volts power source Terminal Type And Quantity: 30 flat leads Shelf Life: |
| Design Function And Quantity: 1 amplifier, linear Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 7.0 volts power source Terminal Type And Quantity: 30 flat leads Shelf Life: N/a |
| Design Function And Quantity: 1 amplifier, linear Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 7.0 volts power source Terminal Type And Quantity: 30 flat leads Shelf Life: N/a Unit Of Measure: Demilitarization: |
| Design Function And Quantity: 1 amplifier, linear Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 7.0 volts power source Terminal Type And Quantity: 30 flat leads Shelf Life: N/a Unit Of Measure: |
| Design Function And Quantity: 1 amplifier, linear Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 7.0 volts power source Terminal Type And Quantity: 30 flat leads Shelf Life: N/a Unit Of Measure: Demilitarization: |