## NSN 5962-01-326-4307



Linear Microcircuit - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5962-01-326-4307 **Overall Length:** 0.400 inches **Overall Height:** 0.325 inches **Overall Width:** 0.300 inches **Body Length:** 0.400 inches **Body Width:** 0.260 inches **Body Height:** 0.180 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Storage Tempurature Range:** -65.0/+150.0 degrees celsius **End Application:** Wsd: ticonderoga class cg (47); helicopter, carrier based asw, sh-60f; helicopter, search and rescue, hh-60h; spruance class dd (963); los angeles class ssn (688); landing craft air cushion (lcac); engine, aircraft tf33-pw-102 (c-135e, ec-135h/k/p); helicopter, uscg search and rescue, hh-60j; forrestal class cv **Features Provided:** Burn in and fixed **Inclosure Material:** Plastic **Inclosure Configuration:** Dual-in-line **Criticality Code Justification: Design Function And Quantity:** 1 regulator **Terminal Surface Treatment:** Voltage Rating And Type Per Characteristic: 5.0 volts output **Special Features:** Weapon system essential **Terminal Type And Quantity:** 8 printed circuit Shelf Life:

Demilitarization:

**Unit Of Measure:** 

Yes - demil/mli

N/a

## NSN 5962-01-326-4307

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0