## NSN 5962-01-330-5521

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-330-5521

view Online at https://aerobasegroup.com/hsh/5962-01-330-5521
Body Length:
Between 0.345 inches and 0.359 inches
Body Width:
Between 0.345 inches and 0.359 inches
Body Height:
Between 0.059 inches and 0.071 inches
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+155.0 degrees celsius
Features Provided:
Hermetically sealed and burn in and w/enable and positive outputs
Inclosure Material:
Ceramic
Inclosure Configuration:
Leadless flat pack
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Input Circuit Pattern:
Dual 3 input
Design Function And Quantity:
2 decoder, one of four line
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-0.5 volts power source and 7.0 volts power source
Time Rating Per Chacteristic:
12.00 nanoseconds propagation delay time, low to high level output and 12.00 nanoseconds propagation delay time, high to low level
output
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
20 leadless
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:

Yes - demil/mli Fiig:

A458a0