# NSN 5962-01-331-3219

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-331-3219

# **Overall Height:**

Between 0.280 inches and 0.350 inches

# **Body Length:**

Between 0.745 inches and 0.785 inches

# Body Width:

Between 0.240 inches and 0.260 inches

#### **Body Height:**

Between 0.105 inches and 0.180 inches

# Maximum Power Dissipation Rating:

500.0 milliwatts

## **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

## End Application:

Tactical air operations module

#### **Features Provided:**

Electrostatic sensitive and monolithic and cascadable

#### **Inclosure Material:**

Ceramic

## Inclosure Configuration:

Dual-in-line

#### **Output Logic Form:**

Complementary-metal oxide-semiconductor logic

## Input Circuit Pattern:

6 input

## **Design Function And Quantity:**

1 shift register, left-right and 1 shift register, static

## **Terminal Surface Treatment:**

Solder

# Voltage Rating And Type Per Characteristic:

-0.5 volts power source and 20.0 volts power source

# Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

# Terminal Type And Quantity:

16 printed circuit

# Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

Yes - demil/mli

# NSN 5962-01-331-3219

Digital Microcircuit - Page 2 of 2

**Fiig:** A458a0

