NSN 5962-01-332-0724

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-332-0724

	ody Length:
1.	290 inches
B	ody Width:
0.	610 inches
B	ody Height:
0.	150 inches
М	aximum Power Dissipation Rating:
1.	0 watts
0	perating Tempurature Range:
-5	5.0/+125.0 degrees celsius
St	torage Tempurature Range:
-6	5.0/+150.0 degrees celsius
Fe	eatures Provided:
Μ	onolithic and programmable and schottky and bipolar
In	closure Material:
С	eramic
In	closure Configuration:
D	ual-in-line
0	utput Logic Form:
Tr	ansistor-transistor logic
In	put Circuit Pattern:
14	1 input
C	ase Outline Source And Designator:
D	-3 mil-m-38510
Te	erminal Surface Treatment:
So	blder
Ve	oltage Rating And Type Per Characteristic:
7.	0 volts power source
Μ	emory Device Type:
R	om
Μ	emory Capacity:
U	nknown
Te	est Data Document:
96	6906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Te	erminal Type And Quantity:
24	1 printed circuit
S	helf Life:
N	/a
U	nit Of Measure:
D	emilitarization:
Ye	es - demil/mli

NSN 5962-01-332-0724

Memory Microcircuit - Page 2 of 2

Fiig: A458a0

