## NSN 5962-01-339-3861

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-339-3861

Overall Length:
1.490 inches
Overall Height:
0.432 inches
Overall Width:
0.610 inches
Body Length:
1.490 inches
Body Width:
Between 0.500 inches and 0.610 inches
Body Height:
Between 0.172 inches and 0.217 inches
Maximum Power Dissipation Rating:
500.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Electrostatic sensitive and hermetically sealed and burn in and positive outputs
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Input Circuit Pattern:
11 input
Design Function And Quantity:
1 phase locked loop
Case Outline Source And Designator:
D-10 mil-m-38510
Current Rating Per Characteristic:
30.00 milliamperes supply
Terminal Surface Treatment:

Solder

**Product Name:** 

PII, freq. Synthesizer

**Voltage Rating And Type Per Characteristic:** 

-0.5 volts power source and 10.0 volts power source

**Capitance Rating Per Characteristic:** 

10.00 input picofarads

## NSN 5962-01-339-3861

Digital Microcircuit - Page 2 of 2



175.00 nanoseconds propagation delay

**Test Data Document:** 

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

**Terminal Type And Quantity:** 

28 printed circuit

\_o p.....oa o...oa

Shelf Life: N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0