NSN 5962-01-340-1771



Memory Microcircuit - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5962-01-340-1771 **Overall Height:** 0.400 inches **Body Length:** 1.060 inches **Body Width:** Between 0.220 inches and 0.310 inches **Body Height:** Between 0.140 inches and 0.185 inches **Maximum Power Dissipation Rating:** 1.0 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Storage Tempurature Range:** -65.0/+125.0 degrees celsius **Features Provided:** Ultraviolet erasable and programmable and monolithic and w/enable **Inclosure Material:** Ceramic Inclosure Configuration: Dual-in-line **Output Logic Form:** Metal oxide-semiconductor logic **Input Circuit Pattern:** 17 input **Case Outline Source And Designator:** D-8 mil-m-38510 **Current Rating Per Characteristic:** 125.00 milliamperes reverse current, dc absolute **Terminal Surface Treatment:** Solder Voltage Rating And Type Per Characteristic: -0.6 volts power source and 6.25 volts power source **Capitance Rating Per Characteristic:** Err-060 and err-060 **Time Rating Per Chacteristic:** 200.00 nanoseconds access Memory Device Type: Eprom **Test Data Document:** 96906-mil--std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

Terminal Type And Quantity:

28 printed circuit

NSN 5962-01-340-1771

Memory Microcircuit - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0

