## NSN 5962-01-340-9354

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-340-9354
Overall Height:
0.425 inches
Body Length:
2.096 inches
Body Width:
Between 0.510 inches and 0.620 inches
Body Height:
Between 0.155 inches and 0.210 inches
Maximum Power Dissipation Rating:
1.5 watts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
Combiner-demodulator md-900a/ssr-1
Features Provided:
Hermetically sealed and burn in and programmable and monolithic
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Input Circuit Pattern:
34 input
Design Function And Quantity:
1 control
Case Outline Source And Designator:
D-5 mil-m-38510
Current Rating Per Characteristic:
40.00 milliamperes reverse current, dc absolute
Terminal Surface Treatment:

Solder

**Product Name:** 

Microcontroller with 4k bytes eprom memory

**Voltage Rating And Type Per Characteristic:** 

13.0 volts input

**Capitance Rating Per Characteristic:** 

Err-060

**Time Rating Per Chacteristic:** 

312.00 nanoseconds input

## NSN 5962-01-340-9354

Memory Microcircuit - Page 2 of 2

A458a0



Memory Device Type:
Crom
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
40 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig: