## NSN 5962-01-341-3387

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-341-3387

**Overall Height:** 

0.345 inches

**Body Length:** 

Between 1.280 inches and 1.335 inches

**Body Width:** 

Between 1.280 inches and 1.335 inches

**Body Height:** 

Between 0.070 inches and 0.145 inches

**Maximum Power Dissipation Rating:** 

750.0 milliwatts

**Operating Tempurature Range:** 

-55.0/+125.0 degrees celsius

Storage Tempurature Range:

-65.0/+150.0 degrees celsius

**Features Provided:** 

Hermetically sealed and burn in and monolithic

**Inclosure Material:** 

Ceramic

**Inclosure Configuration:** 

Pin grid array

**Output Logic Form:** 

Complementary-metal oxide-semiconductor logic

**Input Circuit Pattern:** 

40 input

**Design Function And Quantity:** 

1 microprocessor

**Current Rating Per Characteristic:** 

100.00 milliamperes reverse current, dc absolute

**Terminal Surface Treatment:** 

Solder

**Product Name:** 

Digital signal processor

Voltage Rating And Type Per Characteristic:

-0.3 volts power source and 7.0 volts power source

**Capitance Rating Per Characteristic:** 

Err-060

**Time Rating Per Chacteristic:** 

34.00 nanoseconds input

**Test Data Document:** 

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

**Terminal Type And Quantity:** 

100 pin

## NSN 5962-01-341-3387

Digital Microcircuit - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0