

View Online at <https://aerobasegroup.com/nsn/5962-01-341-4319>

**Overall Height:**

0.375 inches

**Body Length:**

Between 0.750 inches and 0.830 inches

**Body Width:**

Between 0.240 inches and 0.310 inches

**Body Height:**

0.185 inches

**Maximum Power Dissipation Rating:**

175.0 milliwatts

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Storage Temperature Range:**

-65.0/+150.0 degrees celsius

**Features Provided:**

Hermetically sealed and burn in and low power and parallel operation

**Inclosure Material:**

Ceramic

**Inclosure Configuration:**

Dual-in-line

**Output Logic Form:**

Complementary-metal oxide-semiconductor logic

**Input Circuit Pattern:**

7 input

**Current Rating Per Characteristic:**

45.00 milliamperes reverse current, dc absolute

**Terminal Surface Treatment:**

Solder

**Voltage Rating And Type Per Characteristic:**

-0.5 volts power source and 7.0 volts power source

**Capitance Rating Per Characteristic:**

5.00 input pascal dense structural 65 and 7.00 output pascal dense structural 65

**Time Rating Per Characteristic:**

35.00 nanoseconds access

**Memory Device Type:**

First-in first-out

**Unpackaged Unit Weight:**

2.2 grams

**Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

**Terminal Type And Quantity:**

16 printed circuit

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A458a0