# NSN 5962-01-343-3153

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-343-3153

### **Overall Length:**

Between 0.890 inches and 0.930 inches

## **Overall Height:**

Between 0.230 inches and 0.350 inches

## **Overall Width:**

Between 0.290 inches and 0.320 inches

#### **Body Length:**

Between 0.890 inches and 0.930 inches

#### **Body Width:**

Between 0.280 inches and 0.310 inches

### **Body Height:**

Between 0.080 inches and 0.120 inches

### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

### Storage Tempurature Range:

-60.0/+160.0 degrees celsius

### **Features Provided:**

W/enable and w/disable and high impedance

### **Inclosure Material:**

Ceramic

## Inclosure Configuration:

Dual-in-line

#### **Output Logic Form:**

Transistor-transistor logic

## Input Circuit Pattern:

16 input

## **Current Rating Per Characteristic:**

160.00 milliamperes forward current, nonrepetitive, peak total value absolute

## Terminal Surface Treatment:

Solder

## Voltage Rating And Type Per Characteristic:

7.0 volts power source

## Capitance Rating Per Characteristic:

10.00 input picofarads and 15.00 output picofarads

## Memory Device Type:

Prom

## Terminal Type And Quantity:

18 printed circuit

#### Shelf Life:

N/a

#### Unit Of Measure:

--

# NSN 5962-01-343-3153

Memory Microcircuit - Page 2 of 2

## Demilitarization:

Yes - demil/mli

Fiig:

A458a0

