NSN 5962-01-344-0181

Digital-linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-344-0181
Overall Length:
1.490 inches
Overall Height:
0.432 inches
Body Length:
1.490 inches
Body Width:
Between 0.500 inches and 0.610 inches
Body Height:
Between 0.172 inches and 0.217 inches
Maximum Power Dissipation Rating:
2.5 watts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Hermetically sealed and burn in and monolithic and high speed
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Transistor-transistor logic
Input Circuit Pattern:
6 input
Design Function And Quantity:
1 converter, analog to digital
Case Outline Source And Designator:
D-10 mil-m-38510
Current Rating Per Characteristic:
191.00 milliamperes reverse current, dc absolute
Terminal Surface Treatment:
Solder

Voltage Rating And Type Per Characteristic:

-6.0 volts power source and 6.0 volts power source

Capitance Rating Per Characteristic:

Err-060

Time Rating Per Chacteristic:

11.50 nanoseconds propagation delay time, high to low level output

Unpackaged Unit Weight:

7.5 grams

NSN 5962-01-344-0181

Digital-linear Microcircuit - Page 2 of 2



Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

Terminal Type And Quantity:

28 printed circuit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0