NSN 5962-01-346-3069

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-346-3069
Overall Length:
2.096 inches
Overall Height:
0.425 inches
Body Length:
2.096 inches
Body Width:
Between 0.510 inches and 0.620 inches
Body Height:
Between 0.155 inches and 0.210 inches
Maximum Power Dissipation Rating:
3.0 watts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Hermetically sealed and burn in and positive outputs
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
N-type metal oxide-semiconductor logic
Input Circuit Pattern:
31 input
Criticality Code Justification:
Zzzy
Design Function And Quantity:
1 processor, input/output
Case Outline Source And Designator:

D-5 mil-m-38510

Current Rating Per Characteristic:

600.00 milliamperes reverse current, dc absolute

Terminal Surface Treatment:

Solder

Product Name:

Numeric data processor

Voltage Rating And Type Per Characteristic:

-1.0 volts power source and 7.0 volts power source

Time Rating Per Chacteristic:

110.00 nanoseconds delay

NSN 5962-01-346-3069

Digital Microcircuit - Page 2 of 2



Special Features:

Item must comply with requirements of defense supply center columbus production standard no. Lo4419

Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

Terminal Type And Quantity:

40 printed circuit

Reference Number Differentiating Characteristics:

Breference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing and testing specifications available at the dla icp.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0