NSN 5962-01-346-3370

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-346-3370

Overall Length: 1.290 inches **Overall Height:** 0.400 inches **Body Length:** 1.290 inches **Body Width:** Between 0.220 inches and 0.310 inches **Body Height:** Between 0.140 inches and 0.185 inches **Maximum Power Dissipation Rating:** 200.0 milliwatts **Operating Tempurature Range:** +0.0/+70.0 degrees celsius **Storage Tempurature Range:** -65.0/+150.0 degrees celsius **Features Provided:** Hermetically sealed and burn in and positive outputs **Inclosure Material:** Ceramic **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Complementary-metal oxide-semiconductor logic **Input Circuit Pattern:** 16 input **Design Function And Quantity:** 1 control, bite summary **Case Outline Source And Designator:** D-3 mil-m-38510 **Current Rating Per Characteristic:** 35.00 milliamperes reverse current, dc absolute **Terminal Surface Treatment:** Solder **Product Name:** Output correlator Voltage Rating And Type Per Characteristic: -0.5 volts power source and 7.0 volts power source **Capitance Rating Per Characteristic:** Err-060 and err-060 **Time Rating Per Chacteristic:**

25.00 nanoseconds delay

NSN 5962-01-346-3370

Digital Microcircuit - Page 2 of 2



Unpackaged Unit Weight:

6.5 grams

Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

Terminal Type And Quantity:

24 printed circuit

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A458a0