# NSN 5962-01-346-9899

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-346-9899

## **Overall Height:**

0.400 inches

## **Overall Width:**

Between 0.290 inches and 0.320 inches

## **Body Length:**

0.785 inches

#### **Body Width:**

Between 0.220 inches and 0.310 inches

#### **Body Height:**

0.185 inches

#### **Maximum Power Dissipation Rating:**

300.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

#### -65.0/+150.0 degrees celsius

**End Application:** 

6625-01-260-2936

#### **Features Provided:**

Burn in and high speed and monolithic and w/buffered output

### **Inclosure Material:**

Ceramic

#### **Inclosure Configuration:**

Dual-in-line

#### **Output Logic Form:**

Complementary-metal oxide-semiconductor logic

#### Input Circuit Pattern:

Hex 1 input

**Design Function And Quantity:** 

6 inverter

#### **Case Outline Source And Designator:**

D-1 mil-m-38510

#### **Terminal Surface Treatment:**

Solder

#### **Product Name:**

High speed, cmos, hex inverter

### Voltage Rating And Type Per Characteristic:

0.5 volts power source and 7.0 volts power source

## **Test Data Document:**

81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# Terminal Type And Quantity:

14 printed circuit

# NSN 5962-01-346-9899

Digital Microcircuit - Page 2 of 2



## **Specification Data:**

81349-mil-m-38510/657 government specification

Shelf Life:

N/a

Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

Fiig:

A458a0