NSN 5962-01-347-1694

Digital Microcircuit - Page 1 of 2

Overall Length:



View Online at https://aerobasegroup.com/nsn/5962-01-347-1694

2.096 inches
Overall Height:
0.425 inches
Body Length:
2.096 inches
Body Width:
Between 0.510 inches and 0.620 inches
Body Height:
Between 0.155 inches and 0.210 inches
Maximum Power Dissipation Rating:
1.0 watts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Asynchronous and monolithic and w/open collector and w/clock and w/reset
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
N-type metal oxide-semiconductor logic
Input Circuit Pattern:
23 input
Design Function And Quantity:
2 receiver and 2 transmitter
Case Outline Source And Designator:
D-5 mil-m-38510
Current Rating Per Characteristic:
175.00 milliamperes reverse current, dc absolute
Terminal Surface Treatment:
Solder
Product Name:
Dual asynchronous receiver/transmitter (duart)
Voltage Rating And Type Per Characteristic:
-0.5 volts power source and 6.0 volts power source
Capitance Rating Per Characteristic:
Err-060
Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

NSN 5962-01-347-1694

Digital Microcircuit - Page 2 of 2



Ferminal Type And Quai	ntity	:
------------------------	-------	---

40 printed circuit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0