# NSN 5962-01-348-0400

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-348-0400

#### **Overall Length:**

Between 0.386 inches and 0.394 inches

#### **Overall Height:**

Between 0.053 inches and 0.069 inches

## **Overall Width:**

Between 0.228 inches and 0.244 inches

#### **Body Length:**

Between 0.386 inches and 0.394 inches

#### **Body Width:**

Between 0.150 inches and 0.157 inches

#### **Body Height:**

Between 0.045 inches and 0.065 inches

### Maximum Power Dissipation Rating:

105.0 milliwatts

#### **Operating Tempurature Range:**

+0.0/+70.0 degrees celsius

## Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Parallel operation and low power and schottky and complementary outputs and w/clock and w/enable

#### Inclosure Material:

Plastic

#### Inclosure Configuration:

Flat pack

#### **Output Logic Form:**

Transistor-transistor logic

#### Input Circuit Pattern:

12 input

#### **Design Function And Quantity:**

1 shift register, parallel load

#### **Terminal Surface Treatment:**

Solder

#### Voltage Rating And Type Per Characteristic:

7.0 volts power source

#### **Terminal Type And Quantity:**

16 gullwing

#### **Specification Data:**

28480-1820-5239 manufacturers specification control

## Shelf Life:

N/a

## Unit Of Measure:

---

# NSN 5962-01-348-0400

Digital Microcircuit - Page 2 of 2

## Demilitarization:

Yes - demil/mli

Fiig:

A458a0

