## NSN 5962-01-348-0406

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-348-0406

**Overall Length:** 

Between 0.337 inches and 0.344 inches

**Overall Height:** 

Between 0.053 inches and 0.069 inches

**Overall Width:** 

Between 0.228 inches and 0.244 inches

**Body Length:** 

Between 0.337 inches and 0.344 inches

**Body Width:** 

Between 0.150 inches and 0.157 inches

**Body Height:** 

Between 0.045 inches and 0.065 inches

**Operating Tempurature Range:** 

+0.0/+70.0 degrees celsius

**Storage Tempurature Range:** 

-65.0/+150.0 degrees celsius

**Features Provided:** 

Schottky and monolithic

**Inclosure Material:** 

Plastic

**Inclosure Configuration:** 

Flat pack

**Output Logic Form:** 

Transistor-transistor logic

**Input Circuit Pattern:** 

Quad 2 input

**Design Function And Quantity:** 

4 gate, nor

**Current Rating Per Characteristic:** 

4.00 milliamperes reverse current, dc absolute

**Terminal Surface Treatment:** 

Solder

Voltage Rating And Type Per Characteristic:

7.0 volts power source

**Time Rating Per Chacteristic:** 

10.00 nanoseconds propagation delay time, high to low level output and 12.00 nanoseconds propagation delay time, low to high level output

**Terminal Type And Quantity:** 

14 gullwing

**Specification Data:** 

28480-1820-4282 manufacturers specification control

Shelf Life:

N/a

## NSN 5962-01-348-0406

Digital Microcircuit - Page 2 of 2



			ure:	

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0