NSN 5962-01-348-1028

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-348-1028
Body Length:
Between 1.430 inches and 1.485 inches
Body Width:
Between 0.245 inches and 0.310 inches
Body Height:
Between 0.140 inches and 0.175 inches
Maximum Power Dissipation Rating:
825.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Bidirectional and static operation and high performance and w/enable
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Input Circuit Pattern:
25 input
Current Rating Per Characteristic:
150.00 milliamperes reverse current, dc absolute
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-0.5 volts power source and 7.0 volts power source
Capitance Rating Per Characteristic:
5.00 input pascal industrial light tank stock and 7.00 output pascal industrial light tank stock
Time Rating Per Chacteristic:
55.00 nanoseconds access
Memory Device Type:
Ram
Terminal Type And Quantity:
28 printed circuit
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

Yes - demil/mli

NSN 5962-01-348-1028

Memory Microcircuit - Page 2 of 2



Fiig:

A458a0