NSN 5962-01-349-0265

Memory Microcircuit - Page 1 of 2

Overall Length: 0.610 inches Overall Height: 0.185 inches Overall Width:



View Online at https://aerobasegroup.com/nsn/5962-01-349-0265

0.508 inches
Body Length:
Between 0.540 inches and 0.560 inches
Body Width:
Between 0.442 inches and 0.458 inches
Body Height:
Between 0.060 inches and 0.120 inches
Maximum Power Dissipation Rating:
1.0 watts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-55.0/+150.0 degrees celsius
Features Provided:
Electrostatic sensitive and hermetically sealed and burn in and static operation
Inclosure Material:
Ceramic
Inclosure Configuration:
Leaded chip carrier
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Input Circuit Pattern:
22 input
Current Rating Per Characteristic:
70.00 milliamperes reverse current, dc absolute
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
5.5 volts power source
Capitance Rating Per Characteristic:
10.00 input picofarads and 12.00 output picofarads
Time Rating Per Chacteristic:
90.00 nanoseconds access
Memory Device Type:
Ram
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

NSN 5962-01-349-0265

Memory Microcircuit - Page 2 of 2



Terminal 	Type	And	Quantity:
ı C ı ı ı ı ı ı ı a ı	i ypc	Allu	Qualitity.

32 j-hook

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0