## NSN 5962-01-349-2195

Hybrid Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-349-2195
Overall Length:
1.100 inches
Overall Height:
Between 0.320 inches and 0.400 inches
Body Length:
Between 1.275 inches and 1.315 inches
Body Width:
Between 0.770 inches and 0.810 inches
Body Height:
Between 0.170 inches and 0.220 inches
Maximum Power Dissipation Rating:
730.0 milliwatts
Operating Tempurature Range:
-55.0 to 125.0 degrees celsius
Storage Tempurature Range:
-65.0 to 150.0 degrees celsius
Features Provided:
Bipolar and unipolar and w/enable and monolithic
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Transistor-transistor logic
Input Circuit Pattern:
16 input
Design Function And Quantity:
1 converter, digital to analog
Terminal Surface Treatment:
Solder
Product Name:
12-bit d/a converter with input register
Voltage Rating And Type Per Characteristic:
-18.0 volts power source and 18.0 volts power source
Hybrid Technology Type:
Monolithic
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
24 printed circuit
Shelf Life:

N/a

## NSN 5962-01-349-2195

Hybrid Microcircuit - Page 2 of 2



		eas	

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0