NSN 5962-01-350-1252

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-350-1252

Overall Length:
0.785 inches
Overall Height:
0.400 inches
Body Length:
0.785 inches
Body Width:
Between 0.220 inches and 0.310 inches
Body Height:
Between 0.140 inches and 0.185 inches
Maximum Power Dissipation Rating:
108.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Hermetically sealed and burn in and wideband and positive outputs
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Input Circuit Pattern:
6 input
Design Function And Quantity:
1 converter, frequency to dc
Case Outline Source And Designator:
D-1 mil-m-38510
Current Rating Per Characteristic:
450.00 microamperes stand-by
Terminal Surface Treatment:
Solder
Product Name:
Rms-to-dc converter
Voltage Rating And Type Per Characteristic:
-18.0 volts power source and 18.0 volts power source
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
14 printed circuit
Shelf Life:
N/a

NSN 5962-01-350-1252

Linear Microcircuit - Page 2 of 2



			ure:	

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0