## NSN 5962-01-350-3920

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-350-3920

Overall Height:
0.400 inches
Body Length:
0.960 inches
Body Width:
Between 0.220 inches and 0.310 inches
Body Height:
Between 0.130 inches and 0.185 inches
Maximum Power Dissipation Rating:
900.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
W/enable and w/reset and monolithic
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Input Circuit Pattern:
5 input
Design Function And Quantity:
1 multiplexer, analog
Case Outline Source And Designator:
D-6 mil-m-38510
Current Rating Per Characteristic:
2.50 milliamperes reverse current, dc absolute
Terminal Surface Treatment:
Solder
Product Name:
Differential 4-channel analog multiplexer
Voltage Rating And Type Per Characteristic:
44.0 volts input/output differential
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
18 printed circuit
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5962-01-350-3920

Linear Microcircuit - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A458a0