Digital-linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-350-3927

| Overall Length: |
|--------------------------------------------------------------------------------------------------------------------|
| 0.840 inches |
| Overall Height: |
| 0.400 inches |
| Body Length: |
| 0.840 inches |
| Body Width: |
| Between 0.220 inches and 0.310 inches |
| Body Height: |
| Between 0.140 inches and 0.185 inches |
| Maximum Power Dissipation Rating: |
| 450.0 milliwatts |
| Operating Tempurature Range: |
| -55.0/+125.0 degrees celsius |
| Storage Tempurature Range: |
| -65.0/+150.0 degrees celsius |
| Features Provided: |
| Monolithic and electrostatic sensitive and positive outputs |
| Inclosure Material: |
| Ceramic |
| Inclosure Configuration: |
| Dual-in-line |
| Output Logic Form: |
| Complementary-metal oxide-semiconductor logic |
| Input Circuit Pattern: |
| 9 input |
| Design Function And Quantity: |
| 1 converter, digital to analog |
| Case Outline Source And Designator: |
| D-2 mil-m-38510 |
| Terminal Surface Treatment: |
| Solder |
| Voltage Rating And Type Per Characteristic: |
| 7.0 volts power source |
| Capitance Rating Per Characteristic: |
| 8.00 input picofarads and 260.00 output picofarads |
| Test Data Document: |
| 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). |
| Terminal Type And Quantity: |
| 16 printed circuit |
| Shelf Life: |
| N/a |

NSN 5962-01-350-3927

Digital-linear Microcircuit - Page 2 of 2

AeroBase Group

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A458a0